## **MIC-P1 Microscope**

|               |   | MIC-P1B | MIC-P1T |
|---------------|---|---------|---------|
| Viewing Head  | Sliding Binocular Head at 45°, 360° Rotatable   | •       |         |
|               | Sliding Trinocular Head at 45°, 360°Rotatable   |         | •       |
| Eyepiece      | Eyepiece WF10×/ 18 with Scale of Crosshair      | •       | •       |
|               | Eyepiece WF10×/ 18                              | •       | •       |
| Objective     | Strain free Achromatic Objective 4×, 10×, 40×   | •       | •       |
| Nosepiece     | Toward Quadruple Nosepiece, Center              | •       | •       |
|               | Adjustable                                      |         |         |
| Analyzer      | Rotatable Analyzer with Gradation 0°-90°        | •       | •       |
| Bertrand Lens | Bertrand Lens, Sliding in/out of Optical Path   | •       |         |
| Optical       | λ Slip (first class red)                        | •       |         |
| Compensator   | 1/4λ Slip                                       | •       |         |
|               | Quartz wedge                                    | •       | •       |
| Revolving     | Diameter Φ160mm, Graduated in1°                 | •       | •       |
| Round Stage   | Increments, Minimum Resolution 6' when          | 7.0     |         |
|               | using Vernier Scale                             |         |         |
| Condenser     | Abbe Condenser with Iris Diaphragm & Filter     | •       | •       |
| Focusing      | Coaxial Coarse & Fine Adjustment, Range         | •       | •       |
|               | 28mm, Fine Division 0.002mm                     |         |         |
| Polarizer     | Sliding in/ out of Optical Path, Located on the | •       | •       |
|               | Top of Collector                                |         |         |
| Illumination  | 6V/20W Halogen Lamp, Brightness                 | •       | •       |
|               | Adjustable                                      |         |         |





Chongqing MIC Technology Co., Ltd Website: <a href="https://www.micscope.com">www.micscope.com</a>

Email: info@micscope.com

TEL: +86-13436078184; FAX: +86-23-63913139

## **MIC-P1 Microscope**

|               |  | MIC-P1M  | MIC-P1F |
|---------------|--|----------|---------|
| Viewing Head  | Sliding Binocular Head inclined at 45°         |          | •       |
|               | Monocular Head inclined at 45°                 | •        |         |
| Eyepiece      | Eyepiece WF10×/ 18 with Scale of Crosshair     | •        | •       |
|               | Eyepiece WF10×/ 18                             | •        | •       |
| Objective     | Strain free Achromatic Objective 4×、10×、40×    | •        | •       |
| Nosepiece     | Toward Quadruple Nosepiece                     | •        | •       |
| Analyzer      | Rotatable Analyzer with Graduation 0°-90°      | •        | •       |
| Bertrand Lens | Bertrand Lens, Sliding in/ out of Optical Path | •        | •       |
| Optical       | λ Slip (first class red)                       | •        |         |
| Compensator   | 1/4λ Slip                                      | •        |         |
|               | Quartz Wedge                                   | •        | •       |
| Revolving     | Diameterφ135mm, 360°Rotatable and Graduate     | • •      | •       |
| Round Stage   | in 1°Increments, Minimum Resolution 6'when     |          |         |
|               | using Venire Scale, Center Adjustable          |          |         |
| Condenser     | Abbe Condenser NA1.25 with Iris Diaphragm      | <b>.</b> | •       |
|               | & Filter                                       |          |         |
| Focusing      | Coaxial Coarse & Fine Adjustment, Range        | •        | •       |
|               | 28mm, Fine Division 0.002                      |          |         |
| Polarizer     | 0°-90°Rotatable Located on the Top of          | •        | •       |
|               | collector                                      |          |         |
| Illumination  | 6V/20W Halogen Lamp, Brightness Adjustable     | •        | •       |

Note: "•" in the table is standard attachment. "o" is optional accessories.

Design change: To keep pace with technological advances, we have reserved the right to make design modification and changes without notice.





Chongqing MIC Technology Co., Ltd Website: www.micscope.com

Email: info@micscope.com

TEL: +86-13436078184; FAX: +86-23-63913139